	Application No.	Applicant(s)
Notice of Allowability	10/787,131	TJIPTAHARDJA ET AL.
	Examiner	Art Unit
	Timothy D. Collins	3643
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>after final amendment filed 2/23/06</u> .		
2. The allowed claim(s) is/are <u>1 and 4-19</u> .		
<ul> <li>3.</li></ul>		
1.  Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 Notice of Informal P	Patent Application (PTO-152)
<ol> <li>Notice of References Cited (P10-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6. ☐ Interview Summary	
	Paper No./Mail Da	te
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	08), 7. ⊠ Examiner's Amenda	nenvoomment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	<del></del>	ent of Reasons for Allowance
	9.  Other	

Application/Control Number: 10/787,131 Page 2

Art Unit: 3643

## **EXAMINER'S AMENDMENT**

1. An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on 3/9/06, Stephen R. Valancius requested an extension of time for 1 MONTH(S) and authorized the Director to charge Deposit Account No. 19-4880 the required fee of \$120 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In Claim 15, in line 4, the term [radiator] has been replaced with --radiators--.

Claim 20 has been cancelled.

2. The following is an examiner's statement of reasons for allowance: The prior art of record all failed to show either alone and/or in combination a satellite with 4 sides with radiator panels and a fluid branch for each radiator. The branches coming from an evaporator and going to each radiator.

Application/Control Number: 10/787,131

Art Unit: 3643

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy D. Collins whose telephone number is 571-272-6886. The examiner can normally be reached on M-F, 7:00-3:00, with every other Fri. off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter M. Poon can be reached on 571-272-6891. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy D. Collins

Art Unit: 3643

Patent Examiner Art Unit 3643

Peter M. Poon Supervisory Patent Examiner Technology Center 3600

3/13/06